



ProValve

Air Plus

Safety never felt better

State of the art technology

High capacity, low resistance pleated filter.

Integrated low profile valve.


Soft and contoured face seal

For a comfortable and secure fit comparable to a half mask.



ProValve

AirWave®



● max. by EN 149²
 ● Standard FFP mask
 ● Air Plus ProValve
¹ Hours at Medium work rate: 10mg/m³ dust concentration
² Initial value FFP3



Less heat, less drops
New built-in valve reduces condensation from exhaled air

Long life filter
The pleated filter performs for several days, even under the toughest conditions

Easy breathing
More filter surface for low breathing resistance even after hours of use

Breathe freely
3D shaped nose area allows you to breathe freely with a secure fit

Feels good
Soft and skin-friendly TPE material, completely PVC free


Reusable and hygienic
Can be cleaned and disinfected



Extra wide size adjustable straps



Flexible clip for more comfort



Loop strap for easy on and off



DuraMesh® structure keeps the mask in shape





ActivForm® no nose clip needed



Hygienically packaged



Product code	ProValve	Protection level EN 149:2001+A1:2009	Units/Box	Units/ outer case
Air Plus ProValve				
3308 ₀₁	•	FFP2 R D 	5	60
3408 ₀₁	•	FFP3 R D 	5	60